

**BAZR2.MH28022**
Batteries, Standby - Component[Page Bottom](#)**Batteries, Standby - Component**[See General Information for Batteries, Standby - Component](#)**GD ZHI CHENG CHAMPION GROUP CO LTD**

MH28022

TIAN XIN INDUSTRY ZONE

TANG XIA

DONGGUAN, GUANGDONG 523752 CHINA

Model	Max Discharge Rate		Min Charge Rate		Oper Range C	Battery Case Flame Rating	External Battery Supply Enclosure Investigated For
	Amps	Hr	Amps	Hr			
Sealed cell, lead acid batteries with pressure release vents.							
NP1.2-12, NP4-12,	—	—	—	—	—	—	—
NP7-12, NP4-6,	—	—	—	—	—	—	—
NP2-12,	—	—	—	—	—	HB	—
NP2.3-12,	—	—	—	—	—	HB	—
NP2.5-12,	—	—	—	—	—	HB	—
NP2.8-12,	—	—	—	—	—	HB	—
NP3.2-12,	—	—	—	—	—	HB	—
NP4.5-12,	—	—	—	—	—	HB	—
NP5-12,	—	—	—	—	—	HB	—
NP7.2-12,	—	—	—	—	—	HB	—
NP7.5-12,	—	—	—	—	—	HB	—
NP8-12,	—	—	—	—	—	HB	—
NP9-12,	—	—	—	—	—	HB	—
NP14-12,	—	—	—	—	—	HB	—
NP15-12,	—	—	—	—	—	HB	—
NP25-12,	—	—	—	—	—	HB	—
NP30-12,	—	—	—	—	—	HB	—
NP33-12,	—	—	—	—	—	—	—
NP55-12,	—	—	—	—	—	HB	—
NP70-12,	—	—	—	—	—	HB	—
NP80-12	—	—	—	—	—	HB	—
MX 1272-C	—	—	—	—	—	HB	—

FNC 1272-C	—	—	—	—	—	—	HB	—
MX 12260-C	—	—	—	—	—	—	HB	—
FNC 12260-C	—	—	—	—	—	—	HB	—
FNC 12300-C	—	—	—	—	—	—	HB	—
MX 12700-C	—	—	—	—	—	—	HB	—
FNC 12700-C	—	—	—	—	—	—	HB	—
FNC 12800-C	—	—	—	—	—	—	HB	—
MX 12340-C	—	—	—	—	—	—	—	—
FNC 12340-C	—	—	—	—	—	—	—	—
MX 640-C	—	—	—	—	—	—	—	—
NP10-12,	—	—	—	—	—	—	HB	—
NP12-12	—	—	—	—	—	—	HB	—
NP18-12	—	—	—	—	—	—	HB	—
NP20-12	—	—	—	—	—	—	HB	—
NP24-12	—	—	—	—	—	—	HB	—
NP28-12	—	—	—	—	—	—	HB	—
NP38-12	—	—	—	—	—	—	HB	—
NP40-12	—	—	—	—	—	—	HB	—
NP65-12	—	—	—	—	—	—	HB	—
NP75-12	—	—	—	—	—	—	HB	—
NP90-12	—	—	—	—	—	—	HB	—
NP100-12	—	—	—	—	—	—	HB	—
MX 12190-C	—	—	—	—	—	—	HB	—
MX 12420-C	—	—	—	—	—	—	HB	—
MX 121000H-C	—	—	—	—	—	—	HB	—
FNC 12120-C	—	—	—	—	—	—	HB	—
FNC 12190-C	—	—	—	—	—	—	HB	—
FNC 12280-C	—	—	—	—	—	—	HB	—
FNC 12420-C	—	—	—	—	—	—	HB	—
FNC 121000H-C	—	—	—	—	—	—	HB	—
NP1.2-6,	—	—	—	—	—	—	HB	—
NP1.3-6	—	—	—	—	—	—	HB	—
NP1.5-6	—	—	—	—	—	—	HB	—
NP2.3-6	—	—	—	—	—	—	HB	—
NP2.8-6	—	—	—	—	—	—	HB	—
NP3.2-6	—	—	—	—	—	—	HB	—
NP4.5-6	—	—	—	—	—	—	HB	—
NP5-6	—	—	—	—	—	—	HB	—
NP6-6	—	—	—	—	—	—	HB	—

NP7-6	—	—	—	—	—	—	HB	—
NP7.2-6	—	—	—	—	—	—	HB	—
NP7.5-6	—	—	—	—	—	—	HB	—
NP8-6	—	—	—	—	—	—	HB	—
NP10-6	—	—	—	—	—	—	HB	—
NP12-6	—	—	—	—	—	—	HB	—
NP14-6	—	—	—	—	—	—	HB	—
NP120-12	—	—	—	—	—	—	HB	—
NP150-12	—	—	—	—	—	—	HB	—
NP180-12	—	—	—	—	—	—	HB	—
NP200-12	—	—	—	—	—	—	HB	—
GM100-2	—	—	—	—	—	—	HB	—
GM150-2	—	—	—	—	—	—	HB	—
GM200-2	—	—	—	—	—	—	HB	—
GM300-2	—	—	—	—	—	—	HB	—
GM360-2	—	—	—	—	—	—	HB	—
GM400-2	—	—	—	—	—	—	HB	—
GM500-2	—	—	—	—	—	—	HB	—
GM600-2	—	—	—	—	—	—	HB	—
GM800-2	—	—	—	—	—	—	HB	—
GM1000-2	—	—	—	—	—	—	HB	—
GM1500-2	—	—	—	—	—	—	HB	—
GM2000-2	—	—	—	—	—	—	HB	—
GM3000-2	—	—	—	—	—	—	HB	—
FNC 121200-C	—	—	—	—	—	—	HB	—
FNC 121500-C	—	—	—	—	—	—	HB	—
FNC 122000-C	—	—	—	—	—	—	HB	—
FNC 2750-C	—	—	—	—	—	—	HB	—
FNC 21000-C	—	—	—	—	—	—	HB	—
FNC 21250-C	—	—	—	—	—	—	HB	—
FNC 21750-C	—	—	—	—	—	—	HB	—
FNC 22000-C	—	—	—	—	—	—	HB	—
FNC 22250-C	—	—	—	—	—	—	HB	—
FNC 22500-C	—	—	—	—	—	—	HB	—
FNC 23000-C	—	—	—	—	—	—	HB	—
FNC 23500-C	—	—	—	—	—	—	HB	—
FNC 24000-C	—	—	—	—	—	—	HB	—
FNC 24500-C	—	—	—	—	—	—	HB	—
FNC 25000-C	—	—	—	—	—	—	HB	—

FNC 26000-C	—	—	—	—	—	HB	—
FNC 27500-C	—	—	—	—	—	HB	—
FNC 28500-C	—	—	—	—	—	HB	—
FNC 210000-C	—	—	—	—	—	HB	—
FNC 211000-C	—	—	—	—	—	HB	—
FNC 212500-C	—	—	—	—	—	HB	—

Marking: Company name or tradename "CHAMP" and model number on battery case or cover.

[Last Updated](#) on 2007-10-24

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright ?2009 Underwriters Laboratories Inc.?](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright ? 2009 Underwriters Laboratories Inc.?"